Fujitsu recommends Windows® 7.

Data Sheet
Fujitsu LIFEBOOK P772 Notebook

The Small Companion to Go

As a frequent traveler, the lightweight but fully-featured Fujitsu LIFEBOOK P772 provides you with the right balance of flexibility and mobility for working on the move. The LIFEBOOK P772 is unique in offering an integrated modular bay in a 30.7 cm (12.1-inch) notebook. The patented bay projector option guarantees you additional presentation convenience on business trips.

Elegant design combined with smallest size
Ultimate mobility for maximum convenience and style on the move.
- Starting from 1.4 kg, small form factor, attractive glossy black or matt option

Ergonomic Working
Enhanced versatility for ultimate efficiency in the office or on business trips.
- Anti-glare display, 16:10 aspect ratio, DisplayPort, ScrollWheel, Full HD webcam and port replicator
- Anytime USB Charge to charge phones/media devices even when the system is switched off

Maximum security
Protect your valuable company data against unauthorized third-party access.
- Optional SmartCard reader, Advanced Theft Protection (Intel® Anti Theft & Computrace®), optional TPM module and optional fingerprint sensor

Reliable Companion
Secure and effective working even for the most demanding users in all situations.
- Spill-resistant keyboard, ShockSensor, magnesium lid and extra-long battery runtime
- Optional 0-Watt AC Adapter guarantees that the notebook does not consume electricity when switched off

Highest flexibility
Configure the system according to your personal preferences.
- Modular bay for DVD drive, second battery, second HDD or the world's first Bay Projector, optional embedded 3G/UMTS or 4G/LTE, SSD drive

Fujitsu recommends Windows® 7.

Components

Processor	Intel® Core™ i5-3320M processor (2.6 GHz, up to 3.3 GHz, 3 MB)		
	Intel® Core™ i3-3110M processor (2.4 GHz, 3 MB) *		
	Intel® Core™ i3-2370M processor (2.4 GHz, 3 MB) *		
	Intel® Core™ i7-3667U processor (2.0 GHz, up to 3.2 GHz, 4 MB)		
	*Processor only for retail, SMB, education and government		
Operating systems			
Operating system	Windows® 7 Professional 64-bit Windows® 7 Home Premium 64-bit Windows® 7 Home Basic (EM) 64-bit		
Operating system compatible	Windows® XP 32-bit		
Operating system notes	Limited Windows® XP support. Microsoft discontinued Windows® XP certification on system level, basic drivers via http://support.ts.fujitsu.com		
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM		
	4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM		
	8 GB (1 module(s) 8 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM		
Base unit memory	**LIFEBOOK P772 EC glossy black**	**LIFEBOOK P772 SC glossy black**	**LIFEBOOK P772 SC matt**
Supported capacity RAM (max.)	16 GB		
Memory slots total	2		
Memory slot type	DIMM (DDR3)		
Memory notes	DDR3 - 1600 MHz		
Hard disk drives (internal)	SSD SATA III FDE, 128 GB, 2.5-inch		
	SSD SATA III, 256 GB, 2.5-inch		
	SSD SATA III, 128 GB, 2.5-inch		
	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.		
	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.		
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.		
	FDE, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.		
Hard disk notes	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 18 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s)		
WLAN (optional)	Intel® Centrino® 6205 802.11 a/b/g/n		
	Intel® Centrino® Wireless-N2200 b/g/n		
Wireless technologies			
Antennas	2 Dual band WLAN antennas, 2 UMTS/LTE antennas optional, 1 Bluetooth antenna optional		
WLAN notes	Import and usage according to country-specific regulations.		
3G/4G (optional)	Sierra Wireless Gobi 3000 (Downlink speed 14.4 Mbit/s, Uplink speed 5.76 Mbit/s)		
	LTE Sierra Wireless MC7710 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)		
Bluetooth (optional)	Bluetooth 4.0		
Display	30.7 cm (12.1-inch), LED backlight, (WXGA), Anti-glare display, magnesium, 1280 x 800 pixel, 300:1, 200 cd/m		

Modular bay options	2nd battery		
	2nd hard disk drive (S-ATA II)		
	Bay Projector		
	Blu-ray Disc™ Triple Writer		
	DVD Super Multi		
	Weight saver		
Base unit	LIFEBOOK P772 EC glossy black	LIFEBOOK P772 SC glossy black	LIFEBOOK P772 SC matt
General system information			
Chipset	Intel® QM77		
Chipset notes	supports iAMT 8.0, Intel® vPro™ requires Core i5-33xx / i7-35xx processor, Intel W-LAN 6205 & TPM module		
BIOS features	BIOS based on Phoenix SecureCore		
Color	Black	Black	Black
Material	Glossy	Glossy	Matt
Graphics			
TFT resolution (DisplayPort)	up to 2560 x 1600		
TFT resolution (VGA)	up to 1920 x 1200		
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200		
TFT resolution (DisplayPort on Port Replicator)	up to 2560 x 1600		
Graphics brand name	Intel® HD Graphics 4000 with 3rd generation Core i processors		
Graphics features	3 Display Support with 3rd generation Core i processors		
Graphics notes	Shared memory depending on main memory size and operating system		
Interfaces			
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB)	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB)	
ExpressCard slots	1 (34 mm and 54 mm supported)		
SmartCard slot		1	
SIM card slot	1 (usable only with 3G/UMTS, 4G/LTE)	1 (usable only with 3G/UMTS, 4G/LTE)	
USB 3.0 total	2 (1 with Anytime USB Charge functionality)	2 (1 with Anytime USB Charge functionality)	
USB 2.0 total	1	1	
VGA	1	1	
DisplayPort	1 (V1.1a)	1 (V1.1a)	
Ethernet (RJ-45)	1	1	
DC-in	1	1	
Audio: line-in / microphone	1	1	
Audio: line-out / headphone	1	1	
Internal microphones	1 (digital)	1 (digital)	
Docking connector for Port Replicator	1	1	
Kensington Lock support	1	1	
Wired communication			
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 LM		
Keyboard and pointing devices			
	Spill-resistant keyboard (new layout)		
	Number of keyboard keys: 83, Keyboard pitch: 18 mm, Keyboard stroke: 2.0 mm		
	Multi-gesture touchpad with two mouse buttons and ergonomic ScrollWheel Optional: Fingerprint sensor Application buttons		
Multimedia			
Audio type	On board		
Audio codec	Realtek ALC269		
Audio features	Stereo speakers, 1x built-in microphone		

Multimedia	
Camera	Optional: Built-in webcam, Full HD (Microsoft® Lync™)
Power supply	
AC Adapter	19 V / 65 W (3.42 A) , 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Slim and light AC-Adapter
	19 V / 65 W (3.42 A) , 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard AC-Adapter
	19 V / 100 W (5.27 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter
	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 0-Watt AC Adapter technology
	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter
Notes	65 W AC Adapter for usage with system/ 80 W AC Adapter for usage with Port Replicator 65W AC Adapter for usage with system / 80W AC Adapter for usage with Port Replicator
1st battery options	Li-Ion battery 6-cell, 6700 mAh, 72 Wh
	Li-Ion battery 6-cell, 5600 or 5800 mAh, 63 Wh
2nd battery (optional)	Li-Ion battery 6-cell, 2600 mAh, 28 Wh
Runtime 1st battery	Up to 13 h
Runtime 1st + 2nd battery	Up to 18 h
Battery charging time	~120 min (63 Wh) ~ 190 min (72 Wh)
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	282 x 215 x 31 mm
Weight	1.45 kg
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.
Operating ambient temperature	5 - 35°C
Operating relative humidity	20 - 85 %
Additional Software	
Additional software (preinstalled)	Adobe® Reader® Application Panel Display Manager ShockSensor Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) 60 days version Fujitsu Recovery (Hard Disk Based Recovery) Microsoft® Office Starter: reduced-functionality Word and Excel® only, with advertising. No PowerPoint® or Outlook®. Buy Office 2010 to use the full-featured software.
Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS)
Manageability	
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) iAMT 8.0 (depending on CPU)
Manageability software	DeskView Client DeskView Instant BIOS Management DeskView Integration for Symantec Management Platform

Fujitsu recommends Windows® 7.

Manageability

DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Supported standards	WMI PXE BootP (made4you)
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html

Security

System protection	Kensington Lock support
Audit proof protection	Advanced Theft Protection (Intel® Anti Theft & Computrace®) Optional: Trusted platform module (TPM 1.2) Norton Internet Security (incl. Firewall) 60 days version
Access protection	Hard disk password User and supervisor BIOS password Optional: Integrated fingerprint sensor including OmniPass software Hard disk password Integrated SmartCard slot User and supervisor BIOS password Optional: Integrated fingerprint sensor including OmniPass software

Compliance

Europe	CB CE Nordic Swan in progress
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) WiFi certified ENERGY STAR® 5.0 EPEAT® Gold (dedicated regions) (planned)
Compliance notes	Above mentioned compliances are planned but not available at preliminary stage.
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx

Port Replicator interfaces (optional)

DC-in	1 (19V)
Power on switch	1
USB 2.0 total	4
DisplayPort	1 (up to 2560 x 1600) (not usable in parallel with DVI) In case both are connected DisplayPort has higher proirity.
VGA	1
DVI	1 (up to 1920 x 1200) (not usable in parallel with DisplayPort)
Ethernet (RJ-45)	1 (10/100/1000)
eSATA	1
Notes	Port replicator supports 0-Watt functionality. Display port is shared with DVI - exclusive usage

Warranty

Standard Warranty	2 years
Service level	Collect & Return Service / Bring-in Service (depending on country specific requirements)

Maintenance and Support Services - the perfect extension

Recommended Service	5x9h response time next business day, on-site service
Spare Parts availability	5 years
Service Weblink	http://www.fujitsu.com/fts/services/support

Recommended Accessories

Port Replicator		Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu docking options. In the office or at home it takes just a second to attach your notebook to the Port Replicator and get connected to your external display, keyboard and mouse, for example. Your workplace is simple and tidy while you are ready to work with your notebook.	Order Code: S26391-F977-L100
LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit)		The combination of our Port Replicator and AC adapter is the perfect docking solutions for the LIFEBOOK Series and CELSIUS Mobile workstation - our professional notebooks - to simplify your mobile life. In the office or at home it takes just a second to attach your notebook to the Port Replicator and get connected to your peripherals.	Order Code: S26391-F977-L200
			Order Code: S26391-F1124-L500
Fujitsu Bay Projector		The Fujitsu Bay Projector is the first projector which can be inserted in the modular bay of a notebook. The patented projector offers mobility and convenience in the office as well as at home. The Bay Projector converts your notebook into a fully-mobile office, giving you the flexibility you demand.	Order Code: S26391-F974-L600
Wireless Keyboard Set LX900		The Wireless Keyboard LX900 is a top of the line desktop solution for lifestyle orientated customers, who want only the best for their desk. This superb keyboard set with offers ambitious users more functions, security and better features than a conventional interface device. It even includes 2.4 GHz technology and 128 AES encryption for security.	S26381-K564-L4** (**: Country specific variation)

Fujitsu recommends Windows® 7.

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu LIFEBOOK P772, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio
Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products
www.fujitsu.com/global/services/computing/

Software
www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK P772, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.
Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.
Please find further information at http://www.fujitsu.com/global/about/environment/

Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.
Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT
FUJITSU Technology Solutions
Website: www.fujitsu.com/fts
2012-07-25 CE-EN

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.
Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions